

Rittal – The System.

Faster – better – everywhere.

Fibreglass Enclosures for Demanding Environments



ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES



FRIEDHELM LOH GROUP

Fibreglass Enclosures

Designed with superior materials and environmental versatility in mind, Rittal's Legacy series fibreglass enclosures offer the ultimate in protection for your sensitive control and automation solutions in the world's most demanding industrial environments.

Whether your application is a chemical processing plant, a wastewater facility, an offshore oil platform or a solar farm, these hard working solutions can provide the superior protection for virtually any environmental concern. Offered in a range of specifications, the Legacy Fibreglass enclosures can provide anything from rain and water tight features to fire resistant protection. These CSA, UL/cUL certified NEMA Type 4X enclosures will ensure that your electrical and electronic devices are secure and protected.

Features	Junction Boxes	Instrument Enclosures	Pushbutton Enclosures	Wallmount Enclosures	Freestanding Enclosures
NEMA Rating	1/3/12/4X/6P	1/3/12/4X	1/3/12/4X/6P	1/3/3R/12/4X	1/3/3R/12/4X
Corrosion Resistant	■	■	■	■	■
Fire Resistant	UL94-5V	UL94-5V	UL94-5V	UL94-5V	UL94-5V
CSA, UL/cUL approved	■	■	■	■	■
Stainless Steel Hardware	■	■	■	■	■
Compression Moulded Fibreglass Reinforced Polyester	■	■	■	■	■
Padlockable	■	■	■	■	■
180° Hinges	■	■	■	■	■
Foam in place gasket	■	■	■	■	■
Temp range -40C/-40F - +130C/+250F	■	■	■	■	■



Fibreglass Junction Boxes



Features:

- Lift-off cover
- Stainless steel screw/retention chain
- Molded-in mounting provisions
- Overhang cover
- Foamed-in-place polyurethane gasketing
- Rounded corners
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - Screw Cover Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FJ604NFSC	7.50 x 5.43 x 4.75	5.84 x 3.85 x 4.45	6.75 x 2	L-MPL64CS
L-FJ606NFSC	7.50 x 7.50 x 4.75	5.72 x 5.72 x 4.45	6.75 x 4	L-MPL66CS
L-FJ806NFSC	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4	L-MPL86CS
L-FJ1008NFSC	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6	L-MPL108CS
L-FJ1210NFSC	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8	L-MPL1210CS
L-FJ1412NFSC	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10	L-MPL1412CS
L-FJ1614NFSC	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12	L-MPL1614CS
L-FJ1816NFSC	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12	L-MPL1816CS
L-FJ2016NFSC	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10	L-MPLJ2016CS



Features:

- Full length stainless steel hinged cover
- Stainless steel screws
- 180° door opening
- Extended depth cover available in 10 x 8 configuration only
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - Hinged Screw Cover Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FJ604CHNFSC	7.50 x 5.43 x 4.75	5.84 x 3.85 x 4.45	6.75 x 2	L-MPL64CS
L-FJ606CHNFSC	7.50 x 7.50 x 4.75	5.72 x 5.72 x 4.45	6.75 x 4	L-MPL66CS
L-FJ806CHNFSC	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4	L-MPL86CS
L-FJ1008CHNFSC	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6	L-MPL108CS
L-FJ1210CHNFSC	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8	L-MPL1210CS
L-FJ1412CHNFSC	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10	L-MPL1412CS
L-FJ1614CHNFSC	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12	L-MPL1614CS
L-FJ1816CHNFSC	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12	L-MPL1816CS
L-FJ2016CHNFSC	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10	L-MPLJ2016CS



Features:

- Quick release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - Lockable Quick Release Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FJ604CHNFQ	7.50 x 5.43 x 4.75	5.84 x 3.85 x 4.45	6.75 x 2	L-MPL64CS
L-FJ606CHNFQ	7.50 x 7.50 x 4.75	5.72 x 5.72 x 4.45	6.75 x 4	L-MPL66CS
L-FJ806CHNFQ	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4	L-MPL86CS
L-FJ1008CHNFQ	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6	L-MPL108CS
L-FJ1210CHNFQ	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8	L-MPL1210CS
L-FJ1412CHNFQ	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10	L-MPL1412CS
L-FJ1614CHNFQ	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12	L-MPL1614CS
L-FJ1816CHNFQ	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12	L-MPL1816CS
L-FJ2016CHNFQ	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10	L-MPLJ2016CS

Fibreglass Junction Boxes



Features:

- Full length stainless steel hinged cover
- Stainless steel screws
- 180° door opening
- Extended depth cover
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - Extended Depth Hinged Screw Cover Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FJ604CHNFSCX	7.50 x 5.47 x 6.22	5.84 x 3.85 x 5.95	6.75 x 2	L-MPL64CS
L-FJ606CHNFSCX	7.50 x 7.52 x 6.22	5.72 x 5.72 x 5.95	6.75 x 4	L-MPL66CS
L-FJ806CHNFSCX	9.62 x 7.46 x 6.22	7.73 x 5.74 x 5.95	8.88 x 4	L-MPL86CS
L-FJ1008CHNFSCX	11.62 x 9.37 x 6.61	9.73 x 7.73 x 6.36	10.75 x 6	L-MPL108CS
L-FJ1210CHNFSCX	13.56 x 11.43 x 6.61	11.79 x 9.80 x 6.32	12.75 x 8	L-MPL1210CS
L-FJ1412CHNFSCX	15.50 x 13.38 x 7.69	13.53 x 11.55 x 7.45	14.62 x 10	L-MPL1412CS
L-FJ1614CHNFSCX	17.53 x 15.43 x 7.71	15.63 x 13.60 x 7.45	16.75 x 12	L-MPL1614CS
L-FJ1816CHNFSCX	19.62 x 17.48 x 10.62	17.69 x 15.69 x 10.31	18.88 x 12	L-MPL1816CS
L-FJ2016CHNFSCX	22.00 x 17.56 x 10.64	19.72 x 15.72 x 10.33	21.25 x 10	L-MPLJ2016CS



Features:

- Quick release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - Extended Depth Lockable Quick Release Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FJ604CHNFQX	7.50 x 5.47 x 6.22	5.84 x 3.85 x 5.95	6.75 x 2	L-MPL64CS
L-FJ606CHNFQX	7.50 x 7.52 x 6.22	5.72 x 5.72 x 5.95	6.75 x 4	L-MPL66CS
L-FJ806CHNFQX	9.62 x 7.46 x 6.22	7.73 x 5.74 x 5.95	8.88 x 4	L-MPL86CS
L-FJ1008CHNFQX	11.62 x 9.37 x 6.61	9.73 x 7.73 x 6.36	10.75 x 6	L-MPL108CS
L-FJ1210CHNFQX	13.56 x 11.43 x 6.61	11.79 x 9.80 x 6.32	12.75 x 8	L-MPL1210CS
L-FJ1412CHNFQX	15.50 x 13.38 x 7.69	13.53 x 11.55 x 7.45	14.62 x 10	L-MPL1412CS
L-FJ1614CHNFQX	17.53 x 15.43 x 7.71	15.63 x 13.60 x 7.45	16.75 x 12	L-MPL1614CS
L-FJ1816CHNFQX	19.62 x 17.48 x 10.62	17.69 x 15.69 x 10.31	18.88 x 12	L-MPL1816CS
L-FJ2016CHNFQX	22.00 x 17.56 x 10.64	19.72 x 15.72 x 10.33	21.25 x 10	L-MPLJ2016CS



Features:

- Scratch and abrasion resistant UVA acrylic flush viewing window
- Quick release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - Flush Viewing Window Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FJ806CHNFQW	9.62 x 7.50 x 4.74	7.73 x 5.74 x 4.45	8.88 x 4	L-MPL86CS
L-FJ1008CHNFQW	11.62 x 9.41 x 4.25	9.73 x 7.73 x 3.98	10.75 x 6	L-MPL108CS
L-FJ1210CHNFQW	13.56 x 11.43 x 5.21	11.79 x 9.80 x 4.94	12.75 x 8	L-MPL1210CS
L-FJ1412CHNFQW	15.50 x 13.50 x 6.25	13.53 x 11.55 x 5.94	14.62 x 10	L-MPL1412CS
L-FJ1614CHNFQW	17.53 x 15.46 x 6.23	15.63 x 13.60 x 5.94	16.75 x 12	L-MPL1614CS
L-FJ1816CHNFQW	19.62 x 17.61 x 8.82	17.69 x 15.69 x 8.45	18.88 x 12	L-MPL1816CS
L-FJ2016CHNFQW	22.00 x 17.68 x 8.83	19.72 x 15.72 x 8.45	21.25 x 10	L-MPLJ2016CS

Fibreglass Instrumentation Boxes



Features:

- Integrally hinged cover that secures with two screws
- Stainless steel screw recessed from cover
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 12
- UL, cUL and CSA

Legacy Fibreglass - Hinged Screw Cover Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FI707CHNFSC	7.21 x 7.21 x 5.09	6.65 x 6.65 x 4.84	5.71 x 5.71	L-MPL66CS
L-FI907CHNFSC	9.21 x 7.21 x 5.09	8.59 x 6.59 x 4.84	7.71 x 5.71	L-MPL86CS
L-FI1109CHNFSC	11.21 x 9.21 x 6.09	10.59 x 8.59 x 5.84	9.71 x 7.71	L-MPL108CS
L-FI1311CHNFSC	13.21 x 11.21 x 6.59	12.59 x 10.59 x 6.34	11.71 x 9.71	L-MPL1210CS
L-FI1513CHNFSC	15.21 x 13.21 x 7.09	14.55 x 12.55 x 6.84	13.71 x 11.71	L-MPL1412CS



Features:

- Quick release clamps with secure loop for padlock provisions (padlock not included)
- Can be lifted and released with ease
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 12
- UL, cUL and CSA

Legacy Fibreglass - Lockable Quick Release Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FI707CHNFQ	7.21 x 7.21 x 5.09	6.65 x 6.65 x 4.84	5.71 x 5.71	L-MPL66CS
L-FI907CHNFQ	9.21 x 7.21 x 5.09	8.59 x 6.59 x 4.84	7.71 x 5.71	L-MPL86CS
L-FI1109CHNFQ	11.21 x 9.21 x 6.09	10.59 x 8.59 x 5.84	9.71 x 7.71	L-MPL108CS
L-FI1311CHNFQ	13.21 x 11.21 x 6.59	12.59 x 10.59 x 6.34	11.71 x 9.71	L-MPL1210CS
L-FI1513CHNFQ	15.21 x 13.21 x 7.09	14.55 x 12.55 x 6.84	13.71 x 11.71	L-MPL1412CS



Features:

- Scratch and abrasion resistant UVA acrylic flush viewing door
- Integrally hinged cover secures with two screws
- Stainless steel screw recessed from cover
- 180° door opening
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 12
- UL, cUL and CSA

Legacy Fibreglass - Hinged Screw Cover Enclosures with Flush Viewing Door

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FI707CHNFSCW	7.21 x 7.21 x 5.09	6.65 x 6.65 x 4.84	5.71 x 5.71	L-MPL66CS
L-FI907CHNFSCW	9.21 x 7.21 x 5.09	8.59 x 6.59 x 4.84	7.71 x 5.71	L-MPL86CS
L-FI1109CHNFSCW	11.21 x 9.21 x 6.09	10.59 x 8.59 x 5.84	9.71 x 7.71	L-MPL108CS
L-FI1311CHNFSCW	13.21 x 11.21 x 6.59	12.59 x 10.59 x 6.34	11.71 x 9.71	L-MPL1210CS
L-FI1513CHNFSCW	15.21 x 13.21 x 7.09	14.55 x 12.55 x 6.84	13.71 x 11.71	L-MPL1412CS

Fibreglass Pushbutton Enclosures



Features:

- Lift-off cover
- Recessed captive stainless steel screws to hold cover
- Notched key hole design
- Metal grounding strap provided
- External mounting brackets available
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - 30mm Pushbutton Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Enclosure Weight
L-F1PB	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F2PB	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F3PB	8.88 x 3.81 x 3.89	8.26 x 3.19 x 3.63	2 lbs.
L-F4PB	11.13 x 3.81 x 3.89	10.51 x 3.19 x 3.63	2 lbs.
L-F5PB	13.78 x 3.63 x 3.14	13.19 x 3.03 x 2.87	2 lbs.

Legacy Fibreglass - 22mm Pushbutton Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Enclosure Weight
L-F1PBGM	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F2PBGM	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F3PBGM	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-F4PBGM	8.88 x 3.81 x 3.89	8.26 x 3.19 x 3.63	2 lbs.
L-F5PBGM	11.13 x 3.81 x 3.89	10.51 x 3.19 x 3.63	2 lbs.



Features:

- Lift-off cover
- Continuous polyurethane cover gasket
- Small raised beveled cover flush with enclosure sides
- Recessed captive stainless steel screws
- External mounting brackets available
- Foamed-in-place polyurethane gasketing
- NEMA 1, 3, 4X, 6P, 12
- UL, cUL and CSA

Legacy Fibreglass - Small Boxes

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Enclosure Weight
L-FJ332HB	3.72 x 3.63 x 2.95	3.13 x 3.03 x 2.70	1 lbs.
L-FJ532HB	5.97 x 3.63 x 3.14	5.38 x 3.03 x 2.87	1 lbs.
L-FJ644HB	6.63 x 3.81 x 3.89	6.00 x 3.19 x 3.63	2 lbs.
L-FJ844HB	8.88 x 3.81 x 3.89	8.26 x 3.19 x 3.63	2 lbs.
L-FJ1144HB	11.13 x 3.81 x 3.89	10.51 x 3.19 x 3.63	2 lbs.

Fibreglass Freestanding Enclosures



Features:

- Rigid body construction and watertight seal
- Foamed-in-place polyurethane gasketing
- Wallmount or freestanding models available
- Molded in panel mounting inserts or studs
- Eyebolts and crossbar construction
- Built-in padlock hasp
- NEMA 4X
- UL, cUL and CSA

Legacy Fibreglass - Freestanding Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-F60H3612	63.50 x 36.50 x 14.12	60.13 x 36.13 x 13.44	62.25 x 28.50	L-MPL6036CS
L-F60H3616	63.50 x 36.50 x 18.12	60.13 x 36.13 x 17.44	62.25 x 28.50	L-MPL6036CS
L-F72H2525FS	72.50 x 25.50 x 26.38	72.00 x 25.00 x 25.75	freestanding	L-MPL7225CS
L-F72H4925FSDD	72.50 x 49.50 x 26.38	72.00 x 49.00 x 25.75	freestanding	L-MPL7249CS

Fibreglass Wallmount Enclosures



Features:

- Rigid body construction and watertight seal
- Foamed-in-place polyurethane gasketing
- Integral mounting brackets
- Molded in panel mounting inserts
- Built-in padlock hasp
- NEMA 4X
- UL, cUL and CSA

Legacy Fibreglass - NEMA 4X Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FW20H1612	22.75 x 16.87 x 13.77	19.70 x 16.04 x 13.24	21.50 x 10.12	L-MPL2016CS
L-FW24H2008	27.00 x 21.24 x 9.90	24.05 x 20.39 x 9.25	25.75 x 14.00	L-MPL2420CS
L-FW24H2410	27.00 x 25.24 x 11.90	24.05 x 24.39 x 11.25	25.75 x 17.87	L-MPL2424CS
L-FW24H2412	27.00 x 25.24 x 13.90	24.05 x 24.39 x 13.25	25.75 x 17.87	L-MPL2424CS
L-FW30H2008	32.86 x 20.99 x 9.89	29.90 x 20.14 x 9.23	31.75 x 14.25	L-MPL3020CS
L-FW30H2407	33.41 x 26.32 x 8.81	30.46 x 25.47 x 8.12	32.25 x 18.50	L-MPL3024CS
L-FW30H2410	33.41 x 26.32 x 11.95	30.46 x 25.47 x 11.27	32.25 x 18.50	L-MPL3024CS
L-FW36H3010	39.31 x 32.50 x 12.05	36.31 x 31.69 x 11.36	38.13 x 23.88	L-MPL3630CS
L-FW36H3012	39.31 x 32.50 x 14.05	36.31 x 31.69 x 13.36	38.13 x 23.88	L-MPL3630CS
L-FW48H3612	51.29 x 36.62 x 13.93	48.33 x 36.22 x 13.25	50.12 x 29.25	L-MPL4836CS
L-FW48H3616	51.29 x 36.62 x 17.93	48.33 x 36.22 x 17.25	50.12 x 29.26	L-MPL4836CS



Features:

- Rain shield top for water protection
- Rigid body construction and watertight seal
- Integral mounting feet for ease of installation
- Molded in panel mounting inserts
- Built-in padlock hasp
- NEMA 3R
- UL, cUL and CSA

Legacy Fibreglass - NEMA 3R Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-FW20R1612HCR	22.75 x 16.87 x 14.27	19.70 x 16.04 x 13.24	21.50 x 10.12	L-MPL2016CS
L-FW24R2008HCR	27.00 x 21.24 x 9.90	24.05 x 20.39 x 9.25	25.75 x 14.00	L-MPL2420CS
L-FW24R2410HCR	27.00 x 25.24 x 11.90	24.05 x 24.39 x 11.25	25.75 x 17.87	L-MPL2424CS
L-FW30R2410HCR	33.41 x 26.32 x 11.95	30.46 x 25.47 x 11.27	32.25 x 18.50	L-MPL3024CS
L-FW30R2412HCR	33.41 x 26.32 x 13.79	30.46 x 25.47 x 13.10	32.25 x 18.50	L-MPL3024CS
L-FW36R3010HCR	39.31 x 32.50 x 12.05	36.31 x 31.69 x 11.36	38.13 x 23.88	L-MPL3630CS
L-FW36R3012HCR	39.31 x 32.50 x 14.05	36.31 x 31.69 x 13.36	38.13 x 23.88	L-MPL3630CS
L-FW48R3612HCR	51.29 x 36.62 x 14.43	48.33 x 36.22 x 13.25	50.12 x 29.25	L-MPL4836CS
L-FW48R3616HCR	51.29 x 36.62 x 18.43	48.33 x 36.22 x 17.25	50.12 x 29.26	L-MPL4836CS



Features:

- Environmentally sealed disconnect
- Foamed-in place polyurethane gasketing
- Rigid body construction and watertight seal
- Molded in panel mounting inserts
- Integral mounting brackets for ease of installation
- NEMA 1, 3, 3R, 4X, 12
- UL, cUL and CSA

Legacy Fibreglass - FMD Enclosures

Part Number	Overall Dimensions H x W x D	Inside Dimensions H x W x D	Mounting Centres H x W	Panel Part Number
L-F16HS10	18.75 x 10.96 x 10.25	15.92 x 10.27 x 8.53	17.50 x 7.00	L-MPL1610CD
L-F20HS16	22.75 x 16.87 x 11.00	19.70 x 16.04 x 9.24	21.50 x 10.12	L-MPL2016CS
L-F24HS24	27.00 x 25.24 x 13.19	24.05 x 24.39 x 11.25	25.75 x 17.87	L-MPL2424CS
L-F30HS24	33.41 x 26.32 x 13.19	30.46 x 25.47 x 11.27	32.25 x 18.50	L-MPL3024CS
L-F36HS30	39.31 x 32.50 x 13.31	36.31 x 31.69 x 11.36	38.13 x 23.88	L-MPL3630CS

Rittal – The System.

Faster – better – everywhere.

- Enclosures
- Power Distribution
- Climate Control
- IT Infrastructure
- Software & Services

Rittal Systems Ltd.
6485 Ordan Drive
Mississauga, Ontario - L5T 1X2
www.rittal.ca
marketing@rittal.ca

ENCLOSURES

POWER DISTRIBUTION

CLIMATE CONTROL

IT INFRASTRUCTURE

SOFTWARE & SERVICES

FRIEDHELM LOH GROUP

